Rhodora

JOURNAL OF THE

NEW ENGLAND BOTANICAL CLUB

Conducted and published for the Club, by

ALBION REED HODGDON, Editor-in-Chief

ALBERT FREDERICK HILL
RALPH CARLETON BEAN
ROBERT CRICHTON FOSTER
ROLLA MILTON TRYON
RADCLIFFE BARNES PIKE
STEPHEN ALAN SPONGBERG
GERALD JOSEPH GASTONY
} Associate Editors

VOLUME 74

1972

The New England Botanical Club, Inc.

Botanical Museum, Oxford St., Cambridge, Mass. 02138

INDEX TO VOLUME 74

New scientific names and combinations are printed in bold face type

Abies balsamea 367
Abronia Fendleri 83
Acalypha rhomboidea 392
Acanthospermum australe 203; humile 205
Acer rubrum, var. drummondii 147; f. tomentosum 147; saccharinum 392
Acrochaetium catenulatum 92, 93; compactum 92; crassipes 92, 93; daviesii 268; microfilum 93
Acroptilon picris 344; repens 344
Actinella argentea 84; Richardsonii, var. floribunda 84
Actinomeris heterophylla 97-100; pauciflora 97-100
Adams, Preston, Studies in the Guttiferae III. An Evaluation of some Putative Spontaneous Garden Hybrids in Hypericum sect. Myriandra 276
Aesculus glabra 147; var. leucodermis 147
Aethusa cynapium 156
Agalinis heterophylla 387
Agardhiella tenera 480
Agarum cribrosum 267, 416
Ageratella microphylla 497; var. palmeri 497; var. seemannii 497; palmeri 497
Ageratum microphyllum 497
Agoseris purpurea 84
Ahnfeltia plicata 269, 409, 421
Alaria esculenta 267, 411, 416
Alcina minor 176; ovalifolia 175; ovatifolia 175; perfoliata 12, 194, 195
Algae of Kent Island, Bay of Fundy. On the Marine 264
Algal Invaders of the Northeastern Fringes of the Sargasso Sea, Some 295
Algal Vegetation of the Hampton-Seabrook Estuary and the Open Coast Near Hampton, New Hampshire, The 406
Alsophila Abbottii 445; Brooksii 445; **bryophila** 443-445; capensis 445; confinis 445; dryopteroides 445; Engelii 445; hotteana 445; minor 445, 446; Nockii 445; pauciflora 445; sagittifolia 446; Salvinii 445; Urbanii 445
Alyssum alynoides 391; desertorum 381, 391
Amalias anceps 283
Amaranthus caudatus 143
Amberboa moschata 344; muricata 339
Ambrosia tomentosa 394
Amphiprora ornata 521, 522; Bailey, A Second Station in New England 521
Andropogon intermedius 378
Anemone multifida 391
Anoda cristata 383
Antithamnion floccosum 421
Apocynum medium 385
Aquatic Plants in New England, Range Extensions of Vascular 131
Arabis Fendleri 83; glabra 391
Arceuthobium cryptopodium 83
Archibaccharis hieraciifolia 498, 511; hieracioides 498
Arenaria groenlandica 367-370, 372-374
Aristida Fendleriana 83; longiseta 83

Artemisia annua 388; arctica 110, 111; borealis 110; frigida 110; norvegica 111; saxicola 102, 110
Arum sagittaefolium 516; virginicum 516, 517
Asclepias incarnata, var. incarnata, f. albiflora 385
Ascophyllum mackaii 286; nodosum 268 295, 297, 411, 416, 418, 425, 481, 483; f. scorpioides 411, 416, 418, 482; ecad. Mackaii 130
Ascyrum hypericoides, var. hypericoides 145; var. multicaule 145
Asperococcus echinatus 267
Aster adscendens 104; chilensis 104; ciliolatus 394; ericoides 104; exilis 104; foliaceus 104; hirtifolius 104; lateriflorus 104; occidentalis 104; puniceus 104; sagittifolius 394
Asteraceae, Somatic Chromosome Numbers for Some 102
Asterocytis ramosa 421, 427, 428
Astragalus ceramicus 83; lonchocarpus 83; lotiflorus 392; purshii 391
Atriplex glabriuscula 390; hastata 391; heterosperma 390; subspicata 391
Atwood, N. Duane, New Species in the Phacelia crenulata Group (Hydrophyllaceae) 451
Audouinella catenulatum 85, 92, 96; crassipes 85, 86, 96; membranacea 421; microfilum 85, 89, 92, 96; microscopica 85-93, 96; (Naeg.) Woelk. Complex (Rhodophyta), Studies on 85
Austin, Daniel F. Interactions between Apis mellifera (Hymenoptera: Apidae) and Tribulus cistoides (Zygophyllaceae) 117

Baccharis hieracifolia 498; hieraciifolia 498; potosina 499; sulcata 499; thesioides 499
Bangia ciliaris 421; fuscopurpurea 413, 421
Beardsley, Richard L. and Edw. T. Browne, Jr., Lathyrus aphaca L. New to Tennessee and the Southwest 155
Berberis repens 391
Bidens acrifolia 499; acuta 394; comosa 388, 394; polyglossa 499; tenuisecta 84; vulgata 394
Blackwell, Will H., The Combination Peltandra virginica (L.) Schott & Enlicher 516
Blidingia marginata 412; minima 412
Botanical Congress, XII International 532
Botrychium lunaria 389
Bowdoin College, The Parker Cleaveland Herbarium of 80
Brasenia schreberi 137
Bromus squarrosus 389
Brotherella tenuirostris 524
Browne Edw. T., see Beardsley, Richard L.
Bryopsis plumosa 412, 480
Bryoxiphium norvegicum 524
Bulbostylis capillaris 294

Camutia perfoliata 195
Caragana arborescens 392
Calendula americana 511, 512; decumbens 21, 206
Calhoun, Ken, see Reynolds, Don R.
Calladium sagittaefolium 510; virginicum 516
Callithamnion baileyi 421; corymbosum 421
Callitriche terrestris 383
Calochortus madrensis 351; venustulus 350, 351; (Liliaceae), Variation Within 350 var. imbricus 350, 351; var. madrensis 351; var. venustulus 350, 351

Calothrix confervicola 484; crustacea 476, 478 485-487
Cape Cod Species of Carex, The Rachilla in, With Notes on the History of the Perigynium and Rachilla 321
Capsosiphon fulvescens 481, 484
Carex acuta 324; alopecoidea 390; bigelowii 367, 370, 372-375; bullata 323; buxbaumii 390; Camposii 323; capillaris 390; canescens 323; complanata 323, 327; crinita 326; davisii 390; debilis, var. Rudgei 321, 323; elachycarpa 329; Emmonsii 321, 323; flacca 324; flava 324; Fraseri 323; gracillima 390; hirta 324; hystricina 149; lacustris 390; lasiocarpa 390; limosa 390; melanostachya 379; microglochin 322, 329, 330; Oederi 324; oedipostyla 328; pallescens 323-325; var. glaberrima 325; var. neogaea 325; pensylvanica 321, 323; pseudocyperus 324; scoparia 321, 323; Sprengelii 326; squarrosa 148; stipata 390; Swanii 321; tonsa 323; vesicaria 390; Willdenowii 325
Carex, the Rachilla in Cape Cod Species of, with Notes on the History of the Perigynium and Rachilla 321
Catling, P. M., see Cruise, J. E.
Cedrela discolor 125; oaxacensis 124-126; C. DC. & Rose, Redefinition of 124; poblensis 126; salvadorensis 124, 126; saxatilis 126; tonduzii 124 126
Centaurea americana 337, 344; austriaca 336, 340, 341; calcitrapa 334, 338, 339, 345; calcitrapoides 338; cineraria 337, 344; consimilis 340; cyanus 337, 344, 345; var. denudata 344; diffusa 335, 340, 345; diluta 332-334, 339; dubia 337, 343, 345; ssp. eu-dubia 343; eriophora 332; iberica 334, 338; jacea 335, 340-342, 345; var. nigra 340; var. transalpina 343; macrocephala 337, 343; maculosa 335, 339, 340, 345, 394; ssp. maculosa 339; ssp. micranthos 339; ssp. rhenana 339; melitensis 333, 338; montana 337, 344; moschata 337, 344; muricata 334, 339; nervosa 332, 336, 340, 341; nigra 336, 340-342, 345; f. pallens 342; nigrescens 337, 342, 343, 345; var. dubia 343; paniculata 335, 339, 340; picris 344; phrygia, ssp. austriaca 341; × pratensis 336, 340-342, 345; repens 337, 344, 345; rothrockii 337, 344; salmantica 333, 334, 339; scabiosa 337, 344; sicula 338; solstitialis 150, 334, 338, 345; squarrosa 340; stoebe 339; sulphurea 334, 338; transalpina 342, 343; virgata, var. squarrosa 335, 340; vochinensis 342
Centunculus minimus 384
Ceramium diaphanum 480; fastigiatum 480; rubriforme 480; rubrum 269, 422, 480; strictum 422
Cerastium arvense 519, 520; glomeratum 381; maureri 520; rigoi 520; tomentosum 519, 520; Linn. and C. Arvense Linn., Spontaneous Hybrids between 519
Chaenactis douglasii 394
Chaenorrhinum minus 394
Chaetomorpha area 266, 412; atrovirens 412, 413; linum 412, 413, 479; melagonium 266, 413, 477
Chaetopteris plumosa 420

Chantransia collopoda 89, 92; mediterranea 92, 93; minutissima 92, 93; moniliformis 92; secundata 88; trifila 92, 93
Chaptalia ruminata 499
Cheilanthes Fendleri 82
Chloris virgata 389
Chondrus crispus 411, 415, 419, 422, 423, 480, 481, 483
Chorda filum 129, 417, 428, 480; tomentosum 417
Chordaria flagelliformis 267, 297, 417
Chorispora tenella 391
Chromosome Numbers from some Asteraceae, Somatic 102
Chrysopsis fulcrata 102, 104, 105; hispida 105; mariana 152; In New England 152; scabra 511; villosa 105
Chrysothamnus nauseosus, ssp. nauseosus 105
Cinna arundinacea 389
Cladonia alpestris 261; apodocarpa 256; bacillaris 255; f. attenuata 255; f. bacillaris 255; f. fruticaulescens 255; f. obtusa 255; f. peritheta 255; beaumontii 259; bonyi 261; f. lacrimosa 261; f. prolifera 261; caespiticia 259; f. epiphylla 259; carassensis 259; f. digressa 259; f. obliqua, m. spectabilis 260; f. regularis 259; f. spectabilis 259; f. subirregularis 260; f. subregularis 259; f. subregularis m. spectabilis 260; capitata 256; f. capitata 256; cariosa 257; f. squamulosa 257; caroliniana 261; cenotea 261; f. cenotea 261; f. exaltata 261; chlorophaea 258; f. costata 258; f. prolifera 258; f. simplex 258; clavulifera 256; coccifera 255; var. frondescens 255; var. stemmatina 255; coniocraea 258; f. actinota 258; f. ceratodes 258; f. peritheta 258; f. phyllostrota 258; f. pycnotheliza 258; f. truncata 258; crispata, f. crispata 261; f. elegans 261; f. infundibulifera 261; f. subascypha 260; var. dilacerata 260; var. divulsa 261; var. virgata, f. kairamoi 261; cristatella 255; f. aurantiaca 255; f. cristatella 256; f. lepidifera 256; f. ochrocarpa 256; f. pleurocarpa 256; f. ramosa 256; f. squamosissima 256; f. squamulosa 256; f. vestita 256; deformis, f. crenulata 255; didyma, var. muscigera 256; fimbriata, f. conista 258; f. pycnotheliza 258; f. simplex 258; f. stenoscypha 258; floerheana, f. carcata 255; f. floerheana 255; f. intermedia 255; f. squamosissima 255; var. intermedia, f. fastigiata 255; f. peritheta 255; floridana 259; furcata 259; f. corymbosa 259; f. fissa 259; f. foliolosa 259; f. furcata 259; f. rigidula 259; f. subclausa 259; f. subulata 259; f. turgida 259; var. furcata 259; var. palamaea 259; var. paradoxa 259; var. pinnata, f. recurva 259; glauca 261; gracilis, var. dilitata 257; f. dilacerata 257; var. elongata, f. elongata 257; grayi 258; f. centralis 258; f. clavata 258; f. cyathiformis 258; f. epiphylea 258; f. foliosa 258; f. pallida 258; f. peritheta 258; f. prolifera 258; f. squamulosa 258; impexa, f. impexa 261; f. prolifera 261; f. subpellucida 261; incrassata 255; f. clavata 255; f. squamulosa 255; leporina

256; macilenta 256; f. macilenta 256; mateocyatha 257; f. squamulata 257; mitis 262; f. divaricata 262; f. pallida 262; f. prolifera 262; f. prostrata 262; soralifera 262; f. tenuis 262; multiformis 259; nemoxyna 258; f. ambigua 258; nemoxyna 258; f. phyllocephala 258; f. scyphifera 258; papillaria 255; f. molariformis 255; f. papillaria 255; f. stipata 255; parasitica 259; f. congesta 259; f. parasitica 259; f. sterilia 259; piedmontensis 256; f. intermedia 256; f. lepidifera 256; f. obconica 256; f. phyllocoma 256; f. piedmontensis 256; f. squamossisima 256; pityrea, var. pityrea 257; f. cladomorpha 257; f. pityrea 257; f. scyphifera 257; f. squamulifera 257; f. subacuta 257; pleurota 255; poculifera 262; f. simplex 262; polycarpoides 256; f. epiphylla 256; f. polycarpoides 257; f. squamulosa 257; pseudophyxidata 262; f. clavata 262; f. lateralis 262; f. prolifera 262; f. simplex 262; f. squamulosa 262; pyxidata 257; f. centralis 257; f. homodactyla 258; f. lophyra 258; f. marginalis 257; f. prolifera 257; var. pyxidata 257; pyxioides, f. simplex 262; rangiferina 262; f. incrassata 262; f. tenuior 262; robbinsii, f. squamulosa 250; scabriuscula 259; f. adspersa 259; f. elegans 259; f. farinacea 259; f. scabriuscula 259; f. squamulosa 259; simulata 257; spumosa 262; squamosa 260; carneopallida 260; f. denticollis 260; f. fascicularis 260; f. laevicorticata 260; f. muricella 260; f. pityrea 260; f. pseudocrispata 260; f. squamosa 260; f. subtrachynella 260; f. turfacea 260; f. ventricosa 260; var. laevicorticata, f. degenerascens 260; var. muricella, f. sarmentosa 260; var. phyllocoma 260; strepsilis 256; f. abortiva 256; f. coralloidea 256; f. glabrata 256; f. strepsilis 256; subsquamosa, f. degenerata 260; f. luxurians 260; f. scabrida 260; f. sublevis 260; f. subrigida 260; subtenuis 261; sylvatica 262; f. arbuscula 262; f. congesta 262; m. fissa 262; f. decumbens 262; f. gracilior 262; f. pygmaea 262; f. scabrida 262; f. sphagnoides 262; m. sorediata 262; tenuis 261; f. prolifera 261; f. prostrata 261; terrae-novi 261; turgida 258; f. conspicua 258; uncialis, f. turgescans 261; f. humilior 261; f. obtusata 261; f. setigera 261; f. soraligera 261; f. subobtusata 261; f. uncialis 261; verticillata 257; f. aggregata 257; f. apoticta 257; f. pallida 257; f. phyllocephala 257; f. verticillata 257; var. cervicornis, f. phyllophora 257

Cladoniae of Southeastern Massachusetts with Special Reference to the Collection of Charles Albert Robbins, List of the 254

Cladophora gracilis 266; holsatica 130; liniformis 280; refracta 266; rupestris 266; sericea 409, 411, 413, 415, 421

Clathromorphum circumscriptum 422

Cleaveland Herbarium of Bowdoin College, The Parker 80

Cnemidaria decurrens 442
Codiolum pusillum 413
Coleman, James R., Nomenclatural Clarification of Two Species of Verbesina (Compositae) Endemic to Florida 97
Collinsia parviflora 393
Colt, L. C., Jr., Amphiprora ornata Bailey — A Second Station in New England 521
Compositae, Nomenclatural and Taxonomic Notes on Mexican 495
Conium maculatum 397
Conopholis americana 141
Conyza lyrata 500; var. pilosa 500; viscosa 500
Corallina officinalis 269, 411, 422, 423
Corallorhiza maculata 141
Coriaria atropurpurea 249; (Coriariaceae) in the Western Hemisphere, The Genus 242; cuneifolia 250; japonica 246; microphylla 249, 250; myrtifolia 244, 246; nepalensis 246; phylicifolia 249; ruscifolia 245, 246, 248; ssp. microphylla 245, 249; ssp. ruscifolia 246, 248; terminalis 245, 247; thymifolia 249, 250
Crepis capillaris 394; tectorum 394
Critonia hebebotrya 503
Croton capitatus 382; glandulosus, var. septentrionalis 382; monanthogynus 382; texensis 144
Cruise, J. E. and P. M. Catling, A White-flowered Form of Iris lacustris from Ontario 271
Cyanus segetum 344
Cyathea panamensis 450; pubescens 445; Steyermarkii 448-450
Cyatheaceae, New Species of American 441
Cyclodium meniscioides 447
Cymopterus Fendleri 83
Cynosciadium digitatum 148
Cyperus diffusus 328; esculentus 143; engelmannii 142; erythrorhizos 142; Fendlerianus 83; ferruginescens 143; Houghtonii 294; iria 142; lancastriensis 142; strigosus 143, 294
Cystoclonium purpureum 269; var. cirrhosum 422

Daphnidostylus Fendleriana 83
Decachaeta ovatifolia 504, 506
Dermatolithon pustulatum 422
Desmarestia aculeata 129, 267, 417; viridis 267, 411, 417
Desmodium marilandicum 292
Diapensia lapponica 359, 361, 363-365, 367, 368, 370, 371, 373-375, 528; Habitat in the White Mountains of New Hampshire, Snow Cover and 358
Dictyosiphon foeniculaceus 267, 417, 428
Diplopappus ericoides, var. hirtella 84
Disporum lanuginosum 523, 524
Distichlis spicata 411, 476
Dodecatheon frenchii 524; radicatum 83
Draba lanceolata 381; neomexicana 83
Dumontia incrassata 269, 423, 480, 481
Duncan, Wilbur H. and Marie Mellinger, Edgeworthia (Thymelaceae) New to the Western Hemisphere 436
Dunn, David B., Lupinus mexicanus Cerv. ex Lag. 489
Dysodium divaricatum 12, 162, 175, 176; radiatum 176

Eastman, Lesley M., A Second Occurrence for Triphora trianthophora (SW.) Rydb. in Maine 141
Eaton, Richard, Chrysopsis mariana in Nw England 152
Eclipta pusilla 60
Ectocarpus confervoides 266, 417; var. dasycarpa 481; siliculosis 417, 418; tomentosus 421
Edgeworthia albiflora 438; chrysantha 436-438; gardneri 438; longipes 438; papyrifera 437; (Thymelaeaceae) New to the Western Hemisphere 436; tomentosa 437
Egeria densa 135, 140
Elachistea fucicola 267, 418, 428; lubrica 297
Elaeagnus angustifolius 148; umbellatus 148
Eleocharis quadrangulata, var. crassior 378
Elephantopus carolinianus 103
Eleutheranthera ruderalis 206; divaricata 177
Elodea Nuttallii 136, 137
Elyna spicata 325
Empetrum nigrum 367
Enteromorpha ahleriana 479, 482; clathrata 265, 479; compressa 265, 413; erecta 265, 411, 413, 414; flexuosa, ssp. flexuosa 429; ssp. paradoxa 482; ssp. pilifera 479, 480; intestinalis 265, 409, 411, 413, 479-481; linza 265, 414, 479; var. oblanceolata 479, 480; marginata 265, 412; minima 266, 412; plumosa 414; prolifera 266, 414
Epifagus virginiana 141
Equisetum from Peninsula Florida 525
Equisetum hyemale 324, 527; var. affine 526, 527; var. elatum 526; palustre 389; praealtum 526; robustum 526; scirpoides 389
Eragrostis spectabilis 389
Erigeron affine 500; alamosanum 501; canbyi 395; cinereus 83; longipes 500; macranthus 106; scaposum 500; β latifolium 500, 501; speciosus 106; var. macranthus 106; tenellum 501; velutipes 501
Eriogonum atrorubens 351; gordonii 391; harperi 154; Goodman in Tennessee 154; trichopes 391
Erysimum repandum 391
Erythrotrichia carnea 298
Euonymous europaea 321; fortunei 147
Eupatorium albicaule 501, 502; var. laxius 501, 502; bertholdii 504; coelestinum 103; collinum 503; var. collinum 502; var. **mendezii** 503; aff. eximium 273; Fendleri 83; hebebotryum 503; leucoderme 501; mendezii 503; microcephalum 505, 506; neaeanum 503; nigrescens 503; ovaliflorum 504; ovatifolium 504; parasiticum 272; petraeum 504, 506; polybotryum 504-506; scabrellum 505; stillingiaefolium 502, 503; tepicanum 503; ymalense 501, 502
Euphorbia Fendleri 83; strictospora 392
Eustoma grandiflorum, f. album 385
Euthora cristata 269, 423
Evans, K., see Mohlenbrock, Robert H.

Fagus grandifolia 524
Fimbristylis autumnalis 294
Fosliella lejolisii 424

Fralick, Richard A., see Mathieson, A. C.
Franseria tomentosa 394
Fucus distichus, ssp. distichus 409, 418; ssp. edentatus 418; ssp. evanescens 418, 477; 480, 483; edentatus 268; evanescens 268; filiformis 268; spiralis 268; vesiculosis 268, 295, 298, 409, 411, 418, 419, 480, 481, 483; var. spiralis 411, 418, 482
Fundy, On the Marine Algae of Kent Island, Bay of 264

Galeana pratensis 205
Galium verum 394
Galpinsia Fendleri 83
Garay, Leslie A., In Memoriam Charles Schweinfurth, 1890-1970 71
Gaura parviflora 392
Giffordia granulosa 266, 418
Gigartina stellata 269, 415, 423
Glaux maritima 384
Gloiosiphonia capillaris 423
Glyceria striata 148
Gnaphalium berlandieri 508; canescens 506; chilense 508; decurrens 509; gracile 509, 510; hirtum 508, 509; inornatum 507; leptophyllum 509; leucocephalum 509; macounii 509; pedunculosum 507, 508; purpureum 508; roseum 506; sphacilatum 507; sprengelii 508; stramineum 508; tenue 509; viscosum 508, 509; Wrightii 506
Gomphonema olivaceum 481
Gracilaria foliifera 480; verrucosa 480
Graptopetalum rusbyi 312
Great Plains, New and Interesting Plants from the 378
Grindelia aphanactis 106

Haber, Erich, Priority of the Binomial Pyrola chlorantha 396
Halenia deflexa 393
Halosaccion ramentaceum 269
Haplopappus clementis 107; eximius 106; laceratus 107; lyalli 102, 106, 107; peirsonii 106; pygmaeus 107
Harriman, Neil A., Records on the Flora of Wisconsin 156
Hebeclinium tepicanum 503, 504
Hehre, Edw. J., Lomentaria clavellosa (Turner) Gaillon. An Addition to the Marine Algal Flora of New Hampshire 158; A. R. Hodgdon and R. B. Pike, The Parker Cleaveland Herbarium of Bowdoin College 80
Helianthus mollis 388
Hellquist, C. Barre, Range Extensions of Vascular Aquatic Plants in New England 131
Hemibaccharis hieraciodes 498
Hemistegia decurrens 442
Hemitelia conformis 450; petiolata 450; Woronovii 450
Hemizonia minima 205; durandi 204
Hess, William J., see Reveal, James
Heterocladus caracasanus 244, 249
Heterophylleia caracasana 249
Heterotheca inuloides, var. rosei 510; leptoglossa 510
Hibiscus lasiocarpa 384; syriacus 145; trionum 150
Hidalgoa ternata 204, 206
Hildenbrandia prototypus 269, 411, 423, 480
Hodgdon, A. R. and Frederic L. Steele, Recent Discoveries in the New Hampshire Flora 291; see also Hehre, Edw. J.
Hoffmannseggella, A New Species of the Orchid Genus 283
Hoffmannseggella brevicaulis 284,

285; cinnabarina 283; harpophylla 284, 285; Kautskyi 285
Hookeria acutifolia 524
Hydrophyllum appendiculatum 385; Fendleri 83
Hymenopappus tenuifolius 395
Hymenoxys richardsonii 109; var. floribunda 109
Hypericum Arnoldianum 277; × Arnoldianum 276-280; × Dawsonianum 279, 280; densiflorum 146, 278-281; denticulatum 146, 147; dolabriforme 146, 147; frondosum 281; galioides 276-278; Kalmianum 280, 281; lobocarpum 146, 276-280; × nothum 280, 281; perforatum 392; prolificum 279-281; punctatum, var. pseudomaculatum 145, 146; var. punctatum 146; Sect. Myriandra, An Evaluation of Some Putative Spontaneous Garden Hybrids In 276; spathulatum 146; sphaerocarpum, var. sphaerocarpum 147; var. turgidum 146, 147; × Van Fleetii 281
Hypochoeris glabra 149; radicata 149
Hypoxis hirsuta 293

Illinois Field and Herbarium Studies 142
Ipswich, Massachusetts, The Ecology of Benthic Salt Marsh Algae at, I. Zonation and distribution of Algal Species 475
Iris lacustris 271; From Ontario, A White-flowered Form of 271; f. albiflora 271; missouriensis 390
Isthmoplea sphaerophora 298
Iva axillaris 387; frutescens, var. oraria 291

Jaegeria hirta 170
Johnson, Miles F., Tussilago farfara L. (Senecioneae-Asteraceae) in Virginia 403
Jones, H. G., A New Species of the Orchid Genus Hoffmannseggella 283
Juglans nigra 390
Juncus balticus, var. littoralis 478; gerardi 476-478, 483, 485; trifidus 367, 368, 370, 371, 373, 375; vaseyi 390

Kansas, The Yellow Mandarin, A Notable Addition to the Flora of 523
Kiger, Robert W., A New Variety of Leucophyllum laevigatum (Scrophulariaceae) from Mexico 347
King, R. M. and H. Robinson, Neomirandia allenii, A New Epiphytic Composite of the American Rain Forest 272
Knapweeds (Centaurea) in Canada and the United States, Distribution of Native and Introduced 331
Kobresia elachycarpa 329; simpliuscula 329
Koetzner, Kenneth and R. D. Wood, On the Marine Algae of Kent Island, Bay of Fundy 264
Kornmannia leptoderma 479-481
Kovanda, Miloslav, Somatic Chromosome Numbers for some Asteraceae 102
Kylinia collopoda 85, 91, 93, 96; compacta 85, 89, 93, 96; moniliformis 85, 93, 96; scapae 92, 93; secundata 268, 473

Laelia anceps 283
Laminaria agardhii 267; digitata 127, 129, 130, 268, 411, 419; intermedia 268; longicruris

268; platymeris 268; Sinclairii 127; saccharina 129, 411, 419, 421, 480, 483; stenophylla 268
Lamium amplexicaule, f. albiflorum 386
Lavatera cretica 392
Lathyrus aphaca 155; L. New to Tennessee and the Southwest 155
Leathesia difformis 419
Lecanora chlarotera 478
Lechea tenuifolia 293; villosa 293
Ledum groenlandicum 529
Leonurus Marrubiastrum 156, 386
Lespedeza virginica 292
Lesquerella gordonii 381; lasiocarpa 77, 79; var. ampla 78; ssp. **berlandieri** 78, 79; var. heterochroma 78; var. **hispida** 78; var. berlandieri 78, 79; intermedia 83; var. hispida 79; ssp. lasiocarpa 77; Nomenclatural Changes in 76
Leucantha cyanus 344
Leucophyllum laevigatum 347, 348; (Scrophulariaceae) From Mexico, A New Variety of 347; var. **coahuilense** 347-349; var. laevigatum 349
Liatris punctata 103; var. nebraskana 104; var. mexicana 104; var. punctata 104; var. typica 104
Linaria dalmatica 156
Liquidambar, Chromosome Numbers in 287; formosana 288, 290; orientalis 287, 290; styraciflua 287, 288, 290, 524; × L. formosana 289; × L. orientalis 289
Lithoderma extensum 419
Lithophyllum corallinae 423; pustulatum 423
Lithothamnion glaciale 423
Lobelia siphilitica, var. siphilitica, f. albiflora 387
Loiseleuria procumbens 365, 367, 368, 370, 373, 374
Lomentaria clavellosa 158; (Turner) Gaillon: An Addition to the Marine Algal Flora of New Hampshire 158
Lotus corniculatus 150, 392
Lupinus ashenbornii 490, 494; bilineatus 491, 492; hartwegii 494; mexicanus 489-494; Cerv. ex Lag. 489; persistens 494; termis 491
Lychnis alba 149; chalcedonica 391
Lysimachia terrestris 150
Lycium pallidum 83
Lycopodium lucidulum 524; selago 367; tristachyum 353
Lythrum salicaria 393

McGregor, Ronald L., Lawrence K. Magrath and Ronald Weedon, New and Interesting Plants from the Great Plains 378
Macrocystis pyrifera 130
McVaugh, Rogers, Nomenclatural and Taxonomic Notes on Mexican Compositae 495
Madia minima 204, 205
Magnolia tripetala 524
Magrath, Lawrence K., see McGregor, Ronald
Mandarin, The Yellow, A Notable Addition to the Flora of Kansas 523
Mantisalea salmantica 339
Mapania macrophylla 327; sylvatica 328
Marchand, Peter, Wind and the Winter-exposed Plant 528
Mathieson, Arthur C., Emery Swan and Richard A. Fralick, An Abnormal Specimen of

Laminaria digitata (L.) Lamouroux 127; and Richard A. Fralick, Investigations of New England Algae V. The Algal Vegetation of the Hampton-Seabrook Estuary and the Open Coast Near Hampton, New Hampshire 406

Melampodium achillaeoides 203; americanum 2, 6, 9, 12, 15, 16, 20-23, 31, 210; angulatum 202; angustifolium 21, 206; anomalum 203; appendiculatum 7, 18, 56, 61, 210; var. leiocarpum 61; var. sonorense 61; arenicola 64, 65; argophyllum 6, 9, 13, 35, 40, 41, 45, 46, 210; arvense 188; aureum 7, 9, 12, 17, 191, 193, 211; australe 203; baranquillae 203; berterianum 176; bibracteatum 7, 14, 59, 187, 210; bonairense 203; brachyglossum 170; camphoratum 4, 204; cinerascens 44; cinereum 6, 9, 35, 39, 41, 44, 46, 172, 210; var. cinereum 6, 14, 39, 40, 210; var. hirtellum 6, 14, 40, 42, 210; var. ramosissimum 6, 14, 40, 43, 210; (Compositae; Heliantheae), Revision of the Genus 1, 161; connatum 195; copiosum 176; coronopifolium 51, 53; cornutum 184, 185; costaricense 7, 18, 181, 183, 210; cupulatum 7, 17, 20, 56, 59, 60, 64, 65, 210; dichothomum 202; dicoelocarpum 4, 7, 10, 18, 30, 172, 182, 184, 210; digynum 204; diffusum 6, 8, 15, 25, 27, 210; var. lancelatum 26; divaricatum 5, 7, 8, 10, 12, 18, 64, 69, 172, 175, 178, 195, 202, 210; var. macranthum 176; diversifolium 202; dombeyanum 204; durandi 204; flaccidum 176; geminatum 204; glabribracteatum 7, 16, 23, 67, 210; glabrum 7, 11, 19, 30, 199-201, 211; gracile 7, 14, 20, 164-166, 168, 210; var. oblongifolium 164; heterophyllum 21; hidalgoa 204; hirsutum 205; hispidum 20, 47, 53; humile 205; kunthianum 22; lanceolatum 25, 167; laxum 169, leucanthum 5, 6, 9, 11, 13, 34-36, 40, 41, 46, 172, 210; var. argophyllum 45; liebmanii 190; linearilobum 6, 11, 15, 21, 31-33, 202, 210; longicorne 6, 19, 20, 54, 56, 210; longifolium 7, 11, 12, 19, 27, 161, 210; longipes 6, 16, 29-32, 202, 210; longipilum 7, 11, 18, 20, 27, 68, 69, 185, 210; manillense 25; microcarpum 164; microcephalum 7, 15, 20, 165-168, 210; mimulifolium 7, 20, 27, 163, 164, 210; minimum 205; minutiflorum 205; montanum 4, 7, 9, 12, 189, 190, 193, 202, 211; var montanum 7, 17, 190, 191, 211; var. **viridulum** 7, 17, 191, 211; nayaritense 6, 15, 58, 59, 210; nelsonii 22; nutans 7, 15, 30, 200, 201, 211; oblongifolium 164; ovatifolium 176; paludicola 205; paludosum 176; panamense 177; paniculatum 7, 14, 166, 168-172, 210; parvulum 162; perfoliatum 3, 7, 8, 12, 18, 194-197, 200-202, 210; pilosum 6, 15, 27, 28, 210; pinnatum 202; pringlei 6, 16, 20, 23, 50, 51, 210; pumilum 176; ramosissimum 39, 43; repens 7, 14, 59, 188, 211; rhomboideum 162; rhombifolium 177, 202; rosei 7, 18, 59, 64, 65, 67, 210; var. subintegrum 64; ruderale 205; sericeum 6, 16, 20-22, 46-48, 51, 53, 210; var. brevipes 47; var. exappendiculatum 47; var. longipes 29; sinaloense 7, 19, 52, 186, 211; sinuatum 7, 9, 17,

20, 56, 59, 63, 64, 210; **strigosum** 6, 19, 51, 52, 55, 56, 210; suffruticosum 206; tenellum 7, 17, 59, 66, 67, 69, 210; var. flaccidum 176; tepicense 7, 19, 52, 175, 184, 185, 211; ternatum 204; villicaule 68
Melampodium canescens 31, 32
Mellinger, Marie, see Duncan, Wilbur H.
Melobesia lejolisii 424
Melosira juergensii 480
Membranoptera alata 424
Mendezia bicolor 515
Mertensia Fendleri 83
Microcoleus tenerrimus 484
Microlonchus salmanticus 339
Mimulus alatus, f. albiflorus 386
Mish, Lawrence B., List of the Cladoniae of Southeastern Massachusetts with Special Reference to the Collection of Charles Albert Robbins 254
Mitchella repens 437
Mohlenbrock, Robert H. and Dan K. Evans, Illinois Field and Herbarium Studies 142
Moore, Mary I., New Form of Thuja occidentalis Resembling Known Cultivars 352
Moore, R. J., Distribution of Native and Introduced Knapweeds (Centaurea) in Canada and the United States 331
Monostroma fuscum 414; f. blytii 266; grevillei 414; leptodermum 414; oxyspermum 411, 414, 427, 428, 482, 485-487; pulchrum 297, 414
Montanoa affinis 510, 511; gracilis 510, 511; karvinskii 510, 511; olivae 510, 511; subtruncata 510, 511
Morton, J. K., Spontaneous Hybrids between Cerastium tomentosum Linn. and C. arvense Linn. 519
Myriophyllum alterniflorum 139; exalbescens 150; heterophyllum 139; humile 136; spicatum, var. exalbescens 132; verticillatum, var. pectinatum 137

Najas flexilis 133
Nemalion helminthoides 424
Neomirandea **allenii** 273, 274; A New Epiphytic Composite of the American Rain Forest 272; angularis 272; araliaefolia 272; costaricencis 273; eximia 274; sciaphila 272, 274
Nephelea pubescens 445
New Hampshire, The Algal Vegetation of the Hampton-Seabrook Estuary and the Open Coast near Hampton 406
New Hampshire Flora, Recent Discoveries in the 291
New Hampshire, Snow Cover and the Diapensia lapponica Habitat in the White Mountains of 358
Nigella damascena 143
North Dakota Plants, New Records of 389
Nothites ovatifolia 504-506
Nuphar variegatum 137
Nymphaea alba, f. rosea 138, 139; odorata 137, 138; var. gigantea 138; f. rubra 139; tuberosa 135-139

Ontario, A White-flowered Form of Iris lacustris from 271
Ophryosporus ovatifolius 504-506; petraeus 504, 505; scabrellus 505
Oreocarya fulvocanescens 83; multicaulis 83
Orobanche multiflora 387

Oryzopsis asperifolia 271; pungens 271
Osmorhiza claytoni 393
Oxypappus scaber 511

Panicum philadelphicum 294, 378; virgatum 478, 483
Paronychia depressa 380
Paspalum distichum 378
Pectis seemannii 511
Pellaea atropurpurea 220-225, 228-233, 237-240; Spores, Chromosomes and Relations of the Fern 220; longimucronata 232; notabilis 220-225, 229-234, 237-240; ovata 240; ternifolia 220, 226, 234, 237, 239; var. ternifolia 221, 224, 226, 227, 229-232, 234, 235, 237-239; var. Wrightiana 221, 224, 226-228, 232, 234-239; truncata 232, 239
Peltandra undulata 516-518; virginica 517, 518; (L.) Schott & Endlicher, The Combination 516
Penstemon procera 393
Percursaria percursa 411, 415, 421, 482, 485
Percome caudata 109; glandulosa 109
Petalonia fascia 409, 419, 420, 480, 481
Petrocelis middendorfii 424
Peyssonelia rosenvingii 424
Phacelia **constancei** 451-454; corrugata 456, 459, 468; crenulata 451; Group (Hydrophyllaceae), New Species in the 451; **howelliana** 456, 460, 461; integrifolia 464; palmeri 451; pinnatifida 464; **rafaelensis** 454, 456-458; utahensis 454, 468; **vossii** 462-464; **welshii** 465-468
Phlox alyssifolia 393
Phoradendron juniperinus 83
Phryma leptostachya 292
Phycodrys rubens 270, 424, 477
Phyllophora brodiaei 269, 424; membranifolia 424
Phymatolithon compactum 422; laevigatum 424, 427; lenormandi 425
Physalis Fendleri 83; pendula 150; similas 83
Physostegia formosior 393; parviflora 393; virginiana 393
Pike, R. B., see Hehre, Edw.
Pilaiella littoralis 419 see also Pylaiella
Pinus banksiana 389; leiophylla 350; ponderosa 350
Plumaria elegans 425, 428
Poa alpigena 367; Bigelovii 83; Fedleriana 82
Polygala senega 392
Polygonum sawatchense 380
Polyides rotundus 411, 425
Polymnia perfoliata 194; revoluta 195
Polypogon monspeliense 389
Polysiphonia denudata 425, 480; elongata 425; fibrillosa 425, 427, 428; harveyi 270; lanosa 270, 298, 425, 480; nigra 425, 480; nigrescens 270, 425, 480; novae-angliae 426; subtilissima 426; urceolata 270, 426, 481
Porphyra miniata 426; umbilicalis 268, 411, 426; f. epiphytica 426
Potamogeton Berchtoldii 135; var. tenuissimus 135; capillaceus 135; confervoides 135, 138, 139; crispus 132; epihydrus, var. ramosus 135, 136; filiformis 131; var. borealis 131; var. Macounii 131; Friesii 133; gemmiparus 135; gramineus, var. gramineus 135; var. myriophyllus 135; Hillii 134; longiligulatus 133, 134; natans 135; pectinatus 133; praelongus

137; Spirillus 135; strictifolius, var. rutiloides 133; zosteriformis 134, 137
Potentilla palustris 391; propinqua 83; tridentata 367, 368, 370, 374
Prasiola stipitata 266
Prenanthes boottii 367
Protoderma marinum 415
Prunus serotina 321
Pseudendoclonium marinum 409, 415, 478, 485-487
Pseudolithodermum extensum 419, 427
Pterophyton heterophyllum 99, 100; pauciflorum 99
Ptilimnium costatum 148
Ptilota serrata 269, 426
Punctaria latifolia 267, 298; plantaginea 298
Pycnanthemum incanum 292; tenuifolium 292; Torrei 292; verticillatum 292; virginianum 292
Pylaiella littoralis 266, 298
Pyrola chlorantha 396, 397; Priority of the Binomial 396; virens 396, 397

Quercus ellipsoidalis 390; novemexicana 83; palustris 148; reticulatus 350; robur 529

Ralfsia borneti 419, 420, 428; clavata 420, 428, 479-481, 486; fungiformis 267, 420; verrucosa 409, 420, 479-481; 486
Ranunculus cardiophyllus 391; carolinianus 149; repens, var. pleniflorus 143; septentrionalis 149
Redfearn, Paul L., Jr., The Yellow Mandarin, A Notable Addition to the Flora of Kansas 523
Reveal, James L. and William J. Hess, Variation within Calochortus venustulus (Liliaceae) 350
Reynolds, Don R. and Ken Calhoun, Equisetum from Peninsula Florida 426
Rhamnus davurica 392
Rhapidophyllum hystrix 525; in Mississippi 525
Rhizoclonium implexum 482, 484, 485; riparium 411, 415, 484; f. polyrhizum 482; f. riparium 482; f. validum 485; tortuosum 266, 415
Rhodochorton purpureum 426
Rhododendron lapponicum 367, 368, 370, 374
Rhododermis elegans 426; Rhodomela confervoides 270, 426
Rhodymenia palmata 269, 427
Rhodophyllis dichotoma 427
Rhodophysema elegans 426, 427
Ribes cereum 391
Robinia viscosa 321
Robbins, Charles Albert, List of the Cladoniae of Southeastern Massachusetts with Special Reference to the Collection of 254
Robinson, H., see King, R. M.
Rogers, Ken E., see Watson, J. Ray, Jr.
Rollins, Reed C. and E. A. Shaw, Nomenclatural Changes in Lesquerella 76
Rorippa islandica, var. fernaldiana 144; var. islandica 144; sessiliflora 144
Rubus idaeus, var. strigosus 144; occidentalis 144; procerus 144
Rudbeckia hirta 108; var. angustifolia 108; var. corymbifera 108; var. floridana 108; var. hirta 108; var. pulcherrima 108; serotina 109
Rumex stenophyllus 379

Ruppia maritima 479

Sabatia campestris, f. albiflora 385
Saccorhiza dermatodea 420; polyschides 129
Salix Fendleriana 83; irrorata 83; pedicellata 391; uva-ursi 367, 370, 374
Sambucus pubens 394
Santamour, Frank J., Jr., Chromosome Numbers in Liquidambar 287
Sargassum fluitans 295; natans 298
Saxifraga occidentalis, var. occidentalis 382
Sciaromium lescurii 524
Scirpus americanus 476, 483; cespitosus, var. callosus 367; debilis 398; maritimus, var. Fernaldii 291; olneyi 329; purshianus 398, 400, 401; and S. smithii, Chromosome Numbers of 398; var. purshianus 398, 399, 401; f. williamsii 398, 399, 401; robustus 291; smithii 398, 400, 401; f. setosus 398, 399, 401; f. levisetus 398, 399, 401; f. smithii 398, 399, 401
Schizothrix calcicola 487
Schoenoxiphium kobresioides 327; rufum 323
Schuyler, Alfred E., Chromosome Numbers of Scirpus purshianus and Scirpus smithii 398
Schweinfurth, Charles, In Memoriam 71
Schwetschkeopsis fabronia 524
Sclerocarpus columbianus 203
Scutellaria brittonii 386; ovata, var. ovata 148, 149; var. rugosa 148, 149; var. versicolor 148, 149
Scytosiphon lomentaria 267, 298, 409, 420, 479, 480
Sedum alamosamum 311; cockerellii 302-306, 309, 311, 312, 314; diffusum 311; glaucophyllum 312; griffithsii 302, 303, 308, 311; havardii 302, 308, 311, 320; in the Southwestern United States, Intraspecific Variation in Chromosomes of 301; lanceolatum 311, 312; niveum 302, 305, 317; spathulifolium 312; stelliforme 302, 305, 306, 308, 309, 311, 312, 318; ternatum 306, 312; wrightii 302, 305, 306, 308, 310, 311, 318
Selaginella Underwoodei 82
Senecio filifolius 111; longilobus 111; vulgaris 395
Shaw, Elizabeth A., see Rollins, Reed C.
Sida spinosa 378, 384; f. albiflora 383
Sigesbeckia flosculosa 204
Skog, Laurence E., The Genus Coriaria (Coriariaceae) in the Western Hemisphere 242
Smith, Earle C., Jr., Redefinition of Cedrela oaxacensis C. DC. & Rose 124
Spartina patens 411, 476, 483, 484; alterniflora 411, 413, 414, 417, 418; var. glabra 476, 482, 483
Sphacelaria plumosa 420, 427; radicans 420, 428
Sphaeralcea Fendleri 83
Sphaeropteris atahuallpa 442-444; horrida 443; marginalis 442; sipapoensis 441, 442, 444
Sphaerotrichia divaricata 267
Sphagnum capillaceum, var. tenerum 524
Spilanthes guatamalensis 177

Spongomorpha arcta 266, 297, 415; spinescens 266, 415
Spongonema tomentosum 421
Sporobolus airoides 390
Solanum sarrachoides 386
Solidago cutleri 367; flexicaulis 107; multiradiata 107; var. scopulorum 107; sempervirens 108, 478; var. mexicana 108; var. sempervirens 108
Sorapion kjellmani 420, 427
Stachys palustris 393; scopulorum 393
Steele, Frederic L., see Hodgdon, A. R.
Stellaria aquatica 381
Stevens, O. A., New Records of North Dakota Plants 389
Stuessy, Tod F., Revision of the Genus Melampodium (Compositae: Heliantheae) 1, 161
Suckleya suckleyana 380
Svenson, Henry K., The Rachilla in Cape Cod Species of Carex with Notes on the History of the Perigynium and Rachilla 321; Rediscovery of Tilia neglecta Spach 469
Swan, Emery F., see Mathieson, A. C.
Synthlipsis berlandieri 78, 79; var. hispida 78, 79; heterochroma 78

Takhtajan, A., XII International Botanical Congress, 528
Thelesperma marginatum 395
Thuja occidentalis 352-354, 356; f. prostrata 354; Resembling Known Cultivars, A New Form of 352; var. ericoides 354
Thymelaea passerina 384
Tiffney, Wesley N., Jr., Snow Cover and the Diapensia lapponica Habitat in the White Mountains of New Hampshire 358
Tilia americana 472, 473; var. heterophylla 473; argentea 473; caroliniana 473; glabra 473; heterophylla 470, 472, 473; Michauxii 472, 473; neglecta 469-474; Spach, Rediscovery of 469; pubescens 472
Tolypothrix tenuis 485
Tragoceros americanus 511, 512; microglossus 511, 512; schiedeanum 203, 511, 512; zinnioides 512
Tribulus cistoides 117, 120
Trichipteris cordata 446; **cyclodium** 446-449; **Maguirei** 447-449; saggittifolia 446; **Steyermarkii** 446, 448; Williamsii 447, 449
Trifolium pratense, f. leucochraceum 150
Trigonospermum adenostemmoides 513
Triodanis biflora 387
Triphora trianthophora 141; (Sw.) Rydb. in Maine, A Second Occurrence for 141
Triplasis purpurea 390
Tryon, Alice F., Spores, Chromosomes and Relations of the Fern Pellaea atropurpurea 220
Tryon, Rolla, Taxonomic Fern Notes, VI. New Species of American Cyatheaceae 441
Tussilago farfara 403, 404; L. (Senecioneae-Asteraceae) in Virginia 403

Uhl, Charles H., Intraspecific Variation in Chromosomes of Sedum in the Southwestern United States 301
Ulmus procera 143
Ulothrix flacca 265, 415; subflaccida 485

Ulva gigantea 479; lactuca 266, 409, 411, 416; rigida 480
Uncinia uncinoides 323
Unxia camphorata 204, 205; digyna 204; hirsuta 205; suffruticosa 206
Urococcus foslieanus 487
Urospora collabens 416; penicilliformis 416; speciosa 416
Utricularia geminiscapa 136

Vaccinium angustifolium 367; uliginosum 365, 367, 368, 370-375; vitis-idaea 365, 367, 370, 374
Vallisneria americana 133
Vaucheria arcassonensis 484; compacta, var. koksoakensis 486; intermedia 482, 484, 485
Verbena hastata × urticifolia 150
Verbesina **chapmanii** 100; (Compositae) Endemic to Florida, Nomenclatural Clarification of Two Species of 92; heterophylla 98, 99; pauciflora 99, 100; warei 98-100
Veronica barbinervis 513; chacalana 513; palmeri 513; triflosculosa 513, 514
Veronicastrum virginicum 394
Vesicaria lasiocarpa 77
Viguiera blakei 514; multiflora 109; puruana 514
Villanova achillaeoides 203
Viola pedata 293
Virginia, Tussilago farfara L. (Senecioneae-Asteraceae) in 403
Voluntarella muricata 339
Watson, J. Ray, Rhapidophyllum hystrix in Mississippi 525; and Ken E. Rogers, Eriogonum harperi Goodman in Tennessee 154
Webber, E. E. and R. T. Wilce, The Ecology of Benthic Saltmarsh Algae at Ipswich, Massachusetts I. Zonation and Distribution of Algal Species 475
Wedelia minor 175; ovatifolia 175; perfoliata 194
Weedon, Ronald R., see Macgregor Ronald L.
Wilce, R. T., see Webber, E. E.
Wind and the Winter-exposed Plant, 528
Wisconsin, Records on the Flora of 156
Woelkerling, Wm., Some Algal Invaders of the Northwestern Fringes of the Sargasso Sea 295; Studies on the Audouinella microscopica (Naeg.) Woelk. Complex (Rhodophyta) 85
Wolffia punctata 136; columbiana 136
Wood, R. D., see Koetzner, Kenneth

Xanthocephalum conoideum 514, 515; seriocarpum 514

Zarabellia rhomboidea 12, 162
Zinnia bicolor 515, elegans 515, 516; tenella 515; violacea 515, 516

Volume 74, No. 800, including pages 441-553, was issued December 29, 1972.